



Manufacturer of Quality 3D Laminated Components

About Us



Founded in 1994, Doormark, Inc. is among the largest manufacturers of 3D laminated components on the East Coast of the United States. Our corporate offices and 60,000 square foot manufacturing facility are located at 430 Goolsby Boulevard in Deerfield Beach, Florida.



Industry renown for our diverse product offerings, Doormark features more than 72 colors with a variety of mattes, silks, wood grains and glosses, most of which are available with melamine matching backs. Doormark offers these colors in over 40 unique door designs and accessories including crown molding, valances, wine racks and an option for thermofoil on phenolic, ensuring an exact laminate match. The flexibility of exact matching accessories ensures that the fabrication of custom closets, kitchen cabinetry and cabinet resurfacing will be precisely color matched.

Our manufacturing facility is bar code driven for order accuracy and features 10 Heian CNC routing stations 3 Wemhoner Membrane presses and 2 automated trim lines assuring both quality control and the fulfillment of orders by their specific due date. As always, we greatly appreciate the loyalty and continued support of our valued customers. We invite you to experience the difference of Doormark, the true mark of excellence.



Table of Contents

About Us	
Contemporary Slab Design	s5 - 10
BAL HARBOR BIMINI BISCAYNE GULFSTREAM ISLAMORADA	SEBRING SOUTH BEACH SUNRISE VENICE
Standard Round Corner De	signs11 - 15
BELLAIRE DORAL MARTINIQUE MONTEGO	NASSAU ORLANDO POMPANO WESTON
Traditional Square Corner	Designs16 - 21
CAPTIVA DAYTONA ENGLEWOOD HOLLYWOOD	KEY LARGO LAS OLAS PORT CHARLOTTE SAN MARCO
Shaker Designs	
SHAKER ABACOA SHAKER BAHAMA SHAKER FREEPORT SHAKER MARATHON	SHAKER NAPLES SHAKER SARASOTA

* The product colors shown throughout this catalog are not to be used for color matching. For precise color matching, please refer to the most recent Doormark, Inc foil sample set.

*Please be aware that colors and textures may take on a slightly different appearance when applied to an mdf substrate.

Table of Contents

Applied Molding Designs27 - 29
PALM BEACH ROYAL PALM VIZCAYA WELLINGTON
Appliance / Panel Over Panel
Fluted Filler / Rosettes
Wine Racks
Valances / Scooped Fronts / Window Fronts
Crown Molding34 - 35
Mullion Doors
Glazed Doors
High Pressure Laminate / Phenolic Backed 3D Laminate / 3D Laminate39
Doormark Hinge Boring Program Sheet40
Care & Cleaning Instructions for Thermofoil Components41
Ordering Instructions42


* The product colors shown throughout this catalog are not to be used for color matching. For precise color matching, please refer to the most recent Doormark, Inc foil sample set.

*Please be aware that colors and textures may take on a slightly different appearance when applied to an mdf substrate.





The True Mark of Excellence





BISCAYNE

Minimum Sizes DOORS 7.0"w x 7.0"h

DRAWERS 7.0"w x 2.5"h

Available as Radius Corner Mullion Doors

Mullion doors will not have vertical lines

Grain direction for Reduced Rail Drawer front will default to vertical






Reduced Rail (RR) Drawer Front












Drawer Front (W)



Drawer Front (K)





Slab Drawer Front



ISLAMORADA


Minimum Sizes

DOORS 7.0"w x 7.0"h

DRAWERS 7.0"w x 2.5"h

Available as Square Corner Mullion Doors





Slab Drawer Front

* South Beach design has 3/8" round over radius on left and right sides and 1/16" round over radius on top and bottom edges.




DOORS 7.0"w x 7.0"h

DRAWERS 7.0"w x 2.5"h

Available as Radius Corner Mullion Doors






DRAWERS 7.0"w x 2.5"h

Available as Radius Corner Mullion Doors

> Shown in Nina

10





The True Mark of Excellence

<u>STANDARD FEATURES</u>

- Doors Available in Arch, Cathedral, Semi-Circle and Square Raised Panels
- Available as Radius Corner Mullion Doors



<u>STANDARD FEATURES</u>

- Doors Available in Arch, Cathedral, Semi-Circle and Square Raised Panels
- Available as Radius Corner Mullion Doors





Slab Drawer Front




DRAWERS 8.0"w x 6.0"h

SLAB DRAWERS 7.5"w x 2.5"h

> Shown in Fusion Maple

<u>STANDARD FEATURES</u>

- Doors Available in Arch, Cathedral, Semi-Circle and Square Raised Panels
- Available as Radius Corner Mullion Doors





Reduced Rail (RR) Drawer Front



Slab Drawer Front



ORLANDO

Minimum Sizes


DOORS 7.0"w x 7.0"h

REDUCED RAIL DRAWERS 7.0"w x 5.5"h



<u>STANDARD FEATURES</u>

- Doors Available in Arch, Cathedral, Semi-Circle and Square Raised Panels
- Available as Radius Corner Mullion Doors





Reduced Rail (RR) Drawer Front



Slab Drawer Front



WESTON

Minimum Sizes

DOORS 7.625″w x 7.625″h

REDUCED RAIL DRAWERS 7.625"w x 5.5"h






The True Mark of Excellence

<u>STANDARD FEATURES</u>

- Doors Available in Arch, Cathedral, Semi-Circle and Square Raised Panels
- Available as Square Corner Mullion Doors





Reduced Rail (RR) Drawer Front



Slab Drawer Front



DAYTONA

Minimum Sizes


DOORS 7.375″w x 7.375″h

REDUCED RAIL DRAWERS 7.375"w x 5.375"h



STANDARD FEATURES

- Doors Available in Arch, Cathedral, Semi-Circle and Square Raised Panels
- Available as Square Corner Mullion Doors



Reduced Rail (RR) Drawer Front



Slab Drawer Front



Minimum Sizes

DOORS 7.0"w x 7.0"h

REDUCED RAIL DRAWERS 7.0"w x 4.875"h



<u>STANDARD FEATURES</u>

- Doors Available in Arch, Cathedral, Semi-Circle and Square Raised Panels
- Available as Square Corner Mullion Doors



Reduced Rail (RR) Drawer Front



Slab Drawer Front




DOORS 8.0"w x 8.0"h

REDUCED RAIL DRAWERS 8.0"w x 5.75"h



STANDARD FEATURES

- Doors Available in Arch, Cathedral, Semi-Circle and Square Raised Panels
- Available as Square Corner Mullion Doors



Reduced Rail (RR) Drawer Front



Slab Drawer Front



Minimum Sizes

DOORS 8.25"w x 8.25"h

REDUCED RAIL DRAWERS 8.25"w x 5.875"h



Shaker Designs






Shaker Designs

<u>STANDARD FEATURES</u>

- Beaded Shakers available with single or double beads
- Available as Square Corner Mullion Doors



Reduced Rail (RR) Drawer Front



Slab Drawer Front



SHAKER BAHAMA

Minimum Sizes

DOORS 7.25"w x 7.25"h


REDUCED RAIL DRAWERS 7.25"w x 5.0"h



Shaker Designs

STANDARD FEATURES

- Beaded Shakers available with single or double beads
- Available as Square Corner Mullion Doors





Reduced Rail (RR) Drawer Front



Slab Drawer Front



SHAKER MARATHON

Minimum Sizes

DOORS 7.25"w x 7.25"h


REDUCED RAIL DRAWERS 7.25"w x 5.0"h



Shaker Designs

<u>STANDARD FEATURES</u>

- Beaded Shakers available with single or double beads
- Available as Square Corner Mullion Doors





Reduced Rail (RR) Drawer Front



SHAKER SARASOTA

Minimum Sizes

DOORS 7.25"w x 7.25"h

REDUCED RAIL DRAWERS 7.25"w x 5.0"h



Applied Molding Designs



Applied Molding Designs

<u>STANDARD FEATURES</u>

- Doors available as Square Raised Panel
- Available as Open Frame (1lite) Mullion Doors





Reduced Rail (RR) Drawer Front



Slab Drawer Front



ROYAL PALM

Minimum Sizes

DOORS 7.0"w x 7.0"h

REDUCED RAIL DRAWERS 7.0"w x 5.0"h



Applied Molding Designs

STANDARD FEATURES

- Doors available as Square Raised Panel
- Available as Open Frame (1lite) Mullion Doors





Reduced Rail (RR) Drawer Front



Slab Drawer Front



WELLINGTON

Minimum Sizes

DOORS 8.0"w x 8.0"h

REDUCED RAIL DRAWERS 8.0"w x 5.75"h



Appliance Panel / Panel Over Panel

Type "A" Appliance Panels

- 11" (280mm) minimum width
- 11" (280mm) minimum height
- Type "A" appliance panels have a uniform 1 1/4" cover perimeter, 1/4" thick at the edge
- Square, arch, or cathedral raised panels are available

Type "B" Appliance Panels

- 12" (305mm) minimum width
- 11" (280mm) minimum height
- Type "B" appliance panels have a uniform 1¼" coved perimeter on 3 sides and a 2¼" cove on one side. This will allow additional space under continuous handles on some appliances. All four outer edges finish ¼" thick
- Square, arch, or cathedral raised panels are available. Arch or cathedral type "B" appliance panels require selection of 21/4" cove on the right (B1) or left (B2).

Type "C" Appliance Panels

- 11" (280mm) minimum width
- 51/2" (140mm) minimum height
- Type "C" appliance panels (slab type) have a 11/4" coved perimeter on all 4 sides. All four outer edges finish 1/4" thick.
- Square, arch, or cathedral raised panels are not available
- Woodgrains on type "C" appliance panels are pressed with grain running horizontally

Type "P" Panel Over Panel

- 9" (229mm) minimum width
- 16" (419mm) minimum height
- Square, arch, or cathedral raised panels are available only on the upper panel when applicable
- Available up to 4 panels


Type "H" Horozontal Panel


- 16" (419mm) minimum width
- 9" (229mm) minimum height
- Available in square raised panel only
- Available up to 4 panels

Type "Z" 1/3 Panel Over 2/3 Panel


- 9" (229mm) minimum width
- 16" (419mm) minimum height
- Square, arch, or cathedral raised panels are available only on the upper panel when applicable







Fluted Filler / Rosettes



Fillers are available in the following styles:

Type Description

- K2 Flutes start at 1" from the top and 1" from the bottom
- S3 Flutes start at 2" from the top and 2" from the bottom
- T4 Flutes start at 3" from the top and 3 " from the bottom
- U5 Flutes start at 2" from the top and 4" from the bottom
- V6 Flutes start at 3" from the top and 5" from the bottom
- X8 Flutes start at 1" from the top and all the way through
- Y9 Flutes start at 2" from the top and all the way through
- Z0 Flutes start at 3" from the top and all the way through
- Q1 Tiered

Flutes with rosettes are available in the following styles:

Type Description

- RX Double Rosette Straight Flutes
- RR Double Rosette Tiered Flutes
- RW Single Rosette Flutes go to Bottom
- RQ Single Rosette Tiered Flutes
- RK Single Rosette Flutes 1" from Bottom
- RY Single Rosette Flutes 2" from Bottom
- RT Single Rosette Flutes 3" from Bottom
- RU Single Rosette Flutes 4" from Bottom
- RV Single Rosette Flutes 5" from Bottom

Rosettes


Size: 3 5/8" x 3 5/8"






Wine Racks

Custom sizes available, but limitations apply. Please contact customer service for more information.



Maximum Size - 48" x 96" Ordered individually

Valances / Scooped Fronts / Window Fronts



All valances come with 3/8" radius round over on profiled edge Custom sizes available, but limitations apply. Please contact customer service for more information.

Front Type

"S" Scooped Fronts

Scoop width will vary, depending on drawer width. Scoop depth is 2"(50mm)

"U" Scooped Fronts

- Scoop width is 4.75"(120mm)
- Scoop depth is 2"(50mm)


Window Front


- Rails are typically 1"(25mm)
- Stiles are consistent with door design.
- All door designs available

Most Edge details available Contact customer service for more information

Illustration







Crown Molding

Molding Type

Colony Crown (Cabinet Top Mount) Size: 3½" wide x 8' long 2 ¼" Finished Height

Designer Crown (Cabinet Top Mount) Size: 51/2" wide x 8' long 3 5/8" Finished Height

Regal Crown

(Cabinet Top Mount) Size: 4 7/8 " wide x 8' long 3 5/8" Finished Height

Renaissance Crown

(Cabinet Face Mount) Size: 4 5/8" wide x 8' long Finish Height: 3 5/8"


Victorian Crown


(Cabinet Top Mount) Size: 3 5/8 " wide x 8' long 1 7/8" Finished Height


Windsor Crown


(Cabinet Face Mount) Size: 2 ¾" wide x 8' long 2" Finished Height

Illustration














Crown Molding

Molding Type

Base Moulding Size: 3 ¼" wide x .5" deep x 8' long Finish Height: 3 ¼"

Illustration





Decorative Light Valance Size: 2" wide x ³/₄" deep x 8' long Finish Height: 2"




(Seam or joint cover) Size: 1 ¼" wide x 5/8" deep x 8' long

Dentil/Rope Crown (Cabinet Top Mount or Wall-to-Ceiling Mount) Size: 3 ¹/₄" wide x 8' long 2 3/8" finished height







7/8 Size: 7/8" wide x 8' long <u>11</u> 32 **Rope Crown Insert** Size: 3/4" wide x 8' long <u>3</u> 4

Dentil Crown Insert

Mullion Doors

1 Lite

6 Lite




Square


1

1


Arch


Cathedral






4 Lite







6 Lite

1 Lite








1


8 Lite







Mullion Doors


Quarter Circle









6 Lite




Window Over Window



Triple Panel Window




Window Over Raised Panel




Window Over Solid





2 Lite



3 Lite

Window Over Window

Glazed Doors

- Glazing can be done on most door styles
- Please contact customer service for more information.
- Available in four options: Black, Dark Walnut, Eggshell and Umber Brown.

Door Design: CAPTIVA Color: Candlelight Glaze: Egg Shell

Door Design: PALM BEACH Color: Driftwood Maple Glaze: Dark Walnut



Door Design: SHAKER SARASOTA Color: Antique Silk Glaze: Umber Brown Door Design: WELLINGTON Color: Cognac Glaze: Black

High Pressure Laminate / Phenolic Backed 3D Laminate / 3D Laminate



High pressure laminate (HPL) is available for most woodgrain colors stocked by Doormark.



For an exact match, Doormark offers 3D laminate applied to a phenolic backer.

This product can be used in the same way as traditional HPL and is an exact match as it is manufactured using the same laminate used on the doors and drawers.

3D Laminate (thermofoil) can also be used when refacing. It is sold by the lineal foot.




Doormark Hinge Boring Program

Doormark offers you the option of having hinge holes bored in your cabinet/closet doors. This feature will allow you to take your doors directly to the job site.

There are two hinge boring patterns to chose from. (see order form)


Pattern 1 is a single 35mm hole drilled at a depth of 1/2" (12.7mm)



Standard hinge placement.

8" up to 13"







When ordering cathedral or arch style doors, any doors with finger pulls or a Biscayne style door, you will be required to select between a right edge hinge placement or a left edge hinge placement.

(see order form)


Left Bore



Pattern 2 has one 35mm hole and two 8mm holes for dowels drilled at a depth of 1/2" (12.7mm)



36" up to 60"



60" up to 96"



Right Bore

Care & Cleaning Instructions for Thermofoil Components

Cleaning

Always use a clean microfiber cloth or non-abrasive sponge.

• Wipe with a damp cloth or sponge with mild dish soap and water.

For tougher spots, wipe with a damp cloth or sponge using a mild degreaser such as Simple Green®(with a 50/50 mix of water), standard Fantastik® or standard Formula 409®.

Cleaners to Avoid

- Any abrasive cleaner
- Solvent based cleaners and harsh chemicals
- Any cleaner in combination with a brush
- Cleaners containing ammonia
- Baking soda

If any chemical is spilled on a thermofoil surface, wipe it up immediately. Then wash the surface with soapy water and rinse several times.


Care

Special care must be taken when using toasters, grills, coffee makers and any counter top appliance that generates heat or steam to ensure that doors are not subjected to excessive temperatures.

Special care must also be taken when using the self cleaning option on a standard oven. It is recommended that a heat shield be installed to deflect and shield excessive radiant and convective heat.

Ordering Instructions

Company ID Code:	Every order must have your three letter Company code. Example: A B C
Customer Number:	Every order must have your four digit Customer Number. Example: 1 2 3 4
P.O. Number or Job Name:	Please fill in your purchase order number or job name.
Door Design:	Every order must have the three letter door design code. Example: W E S
Color:	Every order must have the two, three or four letter color code. Example: F W M
Door Style:	Every order must have the three letter door style code. Example: S R P
	If you require finger pulls either "Top" or "Bottom must be checked.
	<i>Note:</i> There are two Door Style modules allowing for up to 12 different door sizes each. Each module is separate from the other allowing for different upper and lower door styles.
Drawer Style:	There are two modules for the drawer styles to allow for two different styles. Slab, RR or Biscayne must be checked to determine drawer style. If choosing Biscayne, you will receive three flutes only. "W" or "K" must be chosen for a Biscayne sink front. Contact Customer Service for details.
	Either Horizontal (HGrain) or Vertical (VGrain) must be checked if your color is a woodgrain.
	If finger pulls are required, check the box.
Mullion Doors:	Choose Door Style. Enter quantity, width, height and number of lites required.
Slab Fillers:	Mark either "All Profiled" or choose which side you would like the square edge(s) to be.
Laminate / Foil:	Circle either "Laminate or "Foil" and put quantity needed in box.
Molding:	Mark number of pieces needed and type of crown desired.



Doormark, Inc. The True Mark of Excellence



www.doormark.com

888.969.0124 954.418.4700 954.418.4703 (fax)

430 Goolsby Blvd. Deerfield Beach, Florida 33442

© 2014 Doormark, Inc. All Rights Reserved